ELSEVIER

Journal of Organometallic Chemistry 641 (2002) 235

Journal of Organometallic Chemistry

www.elsevier.com/locate/jorganchem

Author Index of Volume 641

Arif, A.M., 53, 195

Beller, M., 30
Benisch, C., 102
Bodes, G., 90
Böhler, C., 227
Bohling, J.C., 53
Bornemann, H., 156
Braune, S., 26
Brugger, S., 165
Buijs, W., 71
Burzlaff, N., 134

Chisholm, M.H., 15
Classen, J., 3
Comba, P., 71
Corneli, D., 71

Dötz, K.H., 185

Eisenträger, F., 220
Elschenbroich, C., 208
Enders, M., 81
Erker, G., 148
Ernst, R.D., 195

Fernández, P., 81
Fischer, H., 134
Fröhlich, R., 148

Gebert, S., 142
Ginsberg, A., 195
Gladysz, J.A., 53
Gleiter, R., 3, 102
Goldfuss, B., 67
Grasser, S., 121
Grützmacher, H., 227

Hampel, F., 53
Harms, K., 208
Heinemann, F.W., 90
Helmchen, G., 67
Herberhold, M., 173
Hoehn, F., 165
Hofmann, P., 220
Hunger, M., 9

Indolese, A.F., 30

Jahr, H.C., 185

Kaifer, E., 9, 113
Kaltenpoth, G., 195
Karl, C., 134
Kaschke, M., 81
Kazmaier, U., 26
Köcher, S., 62
Kohl, G., 81

Lang, H., 41, 62
Laporte, C., 227
Lentz, D., 215
Limberg, C., 9
Lindner, E., 165
Ludwig, G., 81
Lyssenko, K., 208

Mägerlein, W., 30
Malyugina, S., 208
Marconi, G., 90
Mayer, H.A., 165
Merkel, R., 142
Meyer, F., 113
Milius, W., 173
Mingos, D.M.P., 126
Muehlhofer, M., 121

Neumann, S., 90
Nieger, M., 185
Nuber, B., 102

Oeser, T., 3, 102
Oprunenko, Y., 208

Peters, T.B., 53
Pritzkow, H., 71, 81, 102, 142, 195

Rais, D., 126
Rausch, B.J., 3
Röder, J.C., 113
Rominger, F., 3, 102, 220
Rudolph, R., 81
Rutsch, P., 9

Salesch, T., 165
Sander, W., 156
Schleu, J., 134
Schmalz, T., 173
Schönberg, H., 227
Schwenzer, B., 134
Siebert, W., 1, 195
Staeb, T.H., 102
Stahl, J., 53
Stein, T., 41
Strassner, T., 121
Stüer, W., 203

Vagedes, D., 148
Vasil'ko, A., 208
Vázquez, J., 67
Vilar, R., 126
Volland, M.A.O., 220

Wacker, A., 195
Wadepohl, H., 142
Wegner, P., 165
Werner, H., 203
Willemsen, S., 215
Winter, R.F., 113
Wolf, J., 203
Wrackmeyer, B., 173

Yan, C.G., 195

Zenneck, U., 90
Zheng, Q., 53

PII: S0022-328X(01)01422-X

ELSEVIER

Journal of Organometallic Chemistry 641 (2002) 237–241

Journal of Organometallic Chemistry

www.elsevier.com locate jorganchem

Subject Index of Volume 641

Aldol reaction
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90
Alkene oxidation
Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121
Alkoxides
Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9
Alkynes
η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
(η⁵ - Cyclopentadienyl)[η² - bis(*tert* - butylsulfonyl)acetylene]carbonylcobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26
Alkynyl and butadiynyl complexes
Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts $L_nPt(C{\equiv}C)_2PtL_n$, 53
Alkynyls
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
π-Allyl complexes
Isomerism of (π-1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67
Allyl ligands
Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of $Fe_3(CO)_9(\mu_3\text{-}CF)_2$, 215
Anion recognition
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
Arene complexes
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90
Aryl chlorides
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30

Benzannulation
Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185
Benzoic acids
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30
Benzonaphthofurans
Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185
Bimetallic complexes
Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113
Bismuth
Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9
3-Borane-imidazoles
Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195
Bridging ligands
Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113

Carbene complexes
A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203
Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195
Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185
Carbenes
Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195
Carbon monoxide
Reactions of methyl(phenyl)silylene with CO and PH_3—the formation of acid–base complexes, 156
Carbonylation
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30
Carbonyl complexes
Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81
Carbonyl ligands
Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of $Fe_3(CO)_9(\mu_3\text{-}CF)_2$, 215
Carbyne complexes
Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134
Catalyst activation
Synthesis and structural characterization of $[H(OEt_2)_2]^+[\{C_6H_3(N_2)\}\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148
Catenanes
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
Cationic ruthenium carbenes
An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes

PII: S0022-328X(01)01423-1

$(PPh_3)_2Cl_2Ru{=}CH{-}CH{=}CR_2$ and their hexacoordinate acetonitrile adducts, 220
Chelate ring size
Structural and mechanistic studies of the copper(II)-assisted *ortho*-hydroxylation of benzoates by trimethylamine N-oxide, 71
Chirality
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η^6-arene)(η^4-1.5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90
Chromium
C_2-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62
Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185
Chromylchloride
Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121
Cluster complexes
Facial coordination of cyclooctatetraene to a Co_2Ni triangle in a heterometallic trinuclear cluster complex, 142
Cobalt
Facial coordination of cyclooctatetraene to a Co_2Ni triangle in a heterometallic trinuclear cluster complex, 142
Cobalt complexes
(η^5 - Cyclopentadienyl)[η^2 - bis(*tert* - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102
Cobaltol
Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3
Copper
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Crystal structures
Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts $L_nPt(C{\equiv}C)_2PtL_n$, 53
Cyclic voltammetry
C_2-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227
Cyclization
(η^5 - Cyclopentadienyl)[η^2 - bis(*tert* - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102
Cyclobutadiene complexes
(η^5 - Cyclopentadienyl)[η^2 - bis(*tert* - butylsulfonyl)acetylene](carbonyl)cobalt: An electrophilic reagent to yield CpCo-stabilized cyclobutadiene derivatives, 102
Cycloocta-1,5-diene
η^1-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
Cyclopolyenes
Facial coordination of cyclooctatetraene to a Co_2Ni triangle in a heterometallic trinuclear cluster complex, 142

DFT calculation
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
DFT calculations
Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Dihydrogen complexes
A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203
Dinuclear
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41

Electonic coupling
Electronic coupling in covalently-linked M–M quadruple bonds: $M_2\delta$ to ligand π conjugation, 15
Electrochemistry
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Electron donating ability
Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134
Epoxidations
Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9
EPR
Isolation of a stable Cr(V) intermediate in the oxidation of aryl-substituted alkenes by chromylchloride, 121

Facial coordination
Facial coordination of cyclooctatetraene to a Co_2Ni triangle in a heterometallic trinuclear cluster complex, 142
Ferrocenyl phosphines
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30
Fluoranthene
Metal π complexes of benzene derivatives: Part 56. (η^6-Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208
Fluoromethylidyne ligands
Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of $Fe_3(CO)_9(\mu_3\text{-}CF)_2$, 215

Gold
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Group 11
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
Grubbs catalyst
An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes $(PPh_3)_2Cl_2Ru{=}CH{-}CH{=}CR_2$ and their hexacoordinate acetonitrile adducts, 220

Hagihara coupling
Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts $L_nPt(C{\equiv}C)_2PtL_n$, 53
Half-sandwich
C_2-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62
^{1}H- and ^{13}C-NMR
Metal π complexes of benzene derivatives: Part 56. (η^6-Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Haptotropic metal migration
Reactions of complex ligands: Part 94. Chromium-templated angular versus linear benzannulation of dibenzofuran and haptotropic metal migration in tetracyclic fused arenes, 185
Haptotropic rearrangements
Metal π complexes of benzene derivatives: Part 56. (η⁶-Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208
Heterobimetallic
Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9
Heterocycles
Metal complexes of anionic 3-borane-1-alkylimidazol-2-ylidene derivatives, 195
Homogeneous catalysis
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30
Hydride complexes
A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203
Hydroformylation
Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic–organic hybrid co-condensation agents on the catalytic activity, 165
Hydrostannation
Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

Intra- and intermolecular cyclobutadiene formation
Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3
Iridium
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227
Iron
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Iron cluster
Formation of novel unsaturated fluorinated ligands by metal induced C–C coupling reaction of difluoroallene with fluoromethylidyne ligands of $Fe_3(CO)_9(\mu_3\text{-}CF)_2$, 215
IR spectroscopy
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
Isonitriles
Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26

Ligands
Electronic coupling in covalently-linked M–M quadruple bonds: M,δ to ligand π conjugation, 15
Lithiation
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η⁶-arene)(η⁴-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

Manganese
Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113
Matrix isolation
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
Mercury
Recent studies on alkynyl complexes of the Group 11 and 12 metals, 126
Metallocene cation formation
Synthesis and structural characterization of $[H(OEt_2)_2]^+[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148
Molybdenum
Reactions of cyclopentadienylmolybdenum compounds with bismuth alkoxides, 9

Regioselective hydrostannations catalyzed by molybdenum isonitrile complexes, 26
N-functionalised cyclopentadienes
Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81
N-functionalized cyclopentadienyl ligands
Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113
Nickel
Facial coordination of cyclooctatetraene to a Co_2Ni triangle in a heterometallic trinuclear cluster complex, 142
NMR
η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
Non-coordinating anion
Synthesis and structural characterization of $[H(OEt_2)_2]^+[(C_3H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148

Olefin complexes
Coordination chemistry of neutral quinolyl- and aminophenylcyclopentadiene derivatives, 81
Olefin metathesis catalysts
An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes $(PPh_3)_2Cl_2Ru{=}CH{-}CH{=}CR_2$ and their hexacoordinate acetonitrile adducts, 220
Oligonuclear
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Organometallic π-tweezer
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
ortho-Hydroxylation
Structural and mechanistic studies of the copper(II)-assisted *ortho*-hydroxylation of benzoates by trimethylamine N-oxide, 71

Palladium
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Development of new palladium catalysts for the alkoxycarbonylation of aryl chlorides, 30
Isomerism of (π-1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67
Phosphane
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
Phosphanes
η¹-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227

Platinum
η^1-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Syntheses and structures of monoplatinum model complexes for diplatinum polyynediyl adducts $L_nPt(C{\equiv}C)_xPtL_n$, 53
Protonation
Synthesis and structural characterization of $[H(OEt_2)_2]^+[(C_6H_3N_2)\{B(C_6F_5)_3\}_2]^-$ — a Bronsted acid with an imidazole-derived 'non-coordinating' anion, 148

Quantum chemical calculations
Isomerism of (π-1,3-dimethylallyl)(phosphinooxazoline)Pd complexes: a comparison between experiment and theory, 67

Reaction mechanism
Structural and mechanistic studies of the copper(II)-assisted *ortho*-hydroxylation of benzoates by trimethylamine N-oxide, 71
Redox chemistry
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227
Rhodium
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227
Rhodium(I)
Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic–organic hybrid co-condensation agents on the catalytic activity, 165
Ruthenium
A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η^6-arene)(η^4-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90
Ruthenium carbenes
An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes $(PPh_3)_2Cl_2Ru{=}CH{-}CH{=}CR_2$ and their hexacoordinate acetonitrile adducts, 220
Ruthenium hydrides
An 'Old Hydride' in a new synthesis: a convenient approach to Grubbs-type carbene complexes $(PPh_3)_2Cl_2Ru{=}CH{-}CH{=}CR_2$ and their hexacoordinate acetonitrile adducts, 220

Salicylic acid
Structural and mechanistic studies of the copper(II)-assisted *ortho*-hydroxylation of benzoates by trimethylamine N-oxide, 71
Sandwich
C_2-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62
Selectivity
Structural and mechanistic studies of the copper(II)-assisted *ortho*-hydroxylation of benzoates by trimethylamine N-oxide, 71
Silaketene
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
Silver
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
Silylene
Reactions of methyl(phenyl)silylene with CO and PH_3 — the formation of acid–base complexes, 156
Sol–gel proccess
Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic–organic hybrid co-condensation agents on the catalytic activity, 165
Solid state NMR spectroscopy
Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic–organic hybrid co-condensation agents on the catalytic activity, 165
Spectra
Electronic coupling in covalently-linked M–M quadruple bonds: $M_2\delta$ to ligand π conjugation, 15
Strain energy
Strain in organometallics: synthesis of rhodium and iridium complexes with a novel rigid tetrachelating phosphine olefin ligand and their redox properties, 227
Supported complexes
Supported organometallic complexes: Part XXX. Hydroformylation of 1-hexene in interphases — the influence of different kinds of inorganic–organic hybrid co-condensation agents on the catalytic activity, 165

Thiacyclodiyne
Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3
Thiophenophane
Interaction of cyclic thiadiynes with CpCo(COD) — selectivity and reactivity, 3
Tin
η^1-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
Titanium
Bi- and oligometallic early and late transition metal complexes based on alkynyl-titanocenes and related species spanned by carbon rich π-systems, 41
C_2-Bridged sandwich and half-sandwich entities with Ti(IV) and Cr(0) centers, 62
Tricarbonyl chromium complexes
Metal π complexes of benzene derivatives: Part 56. (η^6-Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208
Tripodal ligands
Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134
Tungsten
Alkynylcarbyne complexes containing various tri- and bidentate ligands such as cyclopentadienide, tris(pyrazolyl)borate, bis(pyrazolyl)acetate and tmeda: synthesis and spectroscopic properties, 134

Vinylidene complexes
A tertiary phosphine that is too bulky: preparation of catalytically less active carbene and vinylidene ruthenium(II) complexes, 203

Wittig olefination
Chiral arene ruthenium complexes: Part 3. [Ruthenium(η^6-arene)(η^4-1,5-cyclooctadiene)] complexes with N or O donor functions in the arene side chain, 90

X-ray
η^1-Alkynylplatinum(II) complexes with cycloocta-1,5-diene and tri(1-cyclohepta-2,4,6-trienyl)phosphane ligands, 173
X-ray structural analysis
Metal π complexes of benzene derivatives: Part 56. (η^6-Fluoranthene)(tricarbonyl)chromium: isomerism and haptotropic equilibration, 208

Zinc
Combining organometallic and Werner-type coordination sites in highly preorganized heterobimetallic systems, 113
Zirconocene complexes
Synthesis and structural characterization of $[H(OEt_2)_2]^+[\{C_3H_3N_2\}\{B(C_6F_5)_3\}_2]^-$ — a Brønsted acid with an imidazole-derived 'non-coordinating' anion, 148